

Defecto – Technical Rider




Band Overview

Band Name: Defecto

Members: 4

Monitor Setup: All members use personal in-ear monitor systems and manage their own mixes.

Name	Role	Position
Nicklas Sonne	Guitars, Lead Vocals	Center Stage
Frederik Møller	Guitars, Backing Vocals	Stage Left
Thomas Bartholin	Bass, Backing Vocals	Stage Right
Morten Sørensen	Drums	Center Rear



Front of Stage

Input List

Channel	Source	Notes
1	Click	For band only
2	Bass	Thomas
3	Backing Track L	
4	Backing Track R	
5	Guitar Stage Right	Nicklas
6	Guitar Stage Left	Frederik
7	Vocals Center	Nicklas
8	Kick Trigger	
9	Kick 1 mic	
10	Kick 2 mic	
11	Snare top	
12	Snare bot	
13	HH	
14	Tom 1	
15	Tom 2	
16	Tom 3	
17	Tom 4	
18	Tom 5	
19	OH L	
20	OH R	
21	Vocals stage right	Thomas
22	Vocals stage left	Frederik
23	Audience Mic C	Optional FX
24	FOH Talkback	To band

Mic Stands Required:

- 3 × Boom stands for vocals (center, stage left, stage right)

Monitor & In-Ear Systems

All members use personal in-ear systems.

No monitor wedges required.

Members manage their own mixes independently.

Stage & Power Requirements

Bass (Stage Right): Pedalboard → requires 3x power outlets

Guitar (Stage Left): Pedalboard → requires 3x power outlets

Guitar (Stage Right): Pedalboard → requires 3x power outlets

Drums (Center Rear): Requires 6x power outlets

Preferred drum riser: 1m high, 2.5m x 2.5m

Additional Notes

- FOH Talkback to band is expected (Channel 24)
- No additional backline or playback system required
- No power or voltage adjustments needed (standard EU specs assumed)